## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"7312820".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:22
S2	2	"6288695".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:23
S3	3	"5976086".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:23
<b>S</b> 4	12	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:51
<b>S</b> 5	О	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and increas\$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:52

<b>S</b> 6	0	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and (increas\$4 or decreas\$4) same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11
S7	12	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:53
<b>S</b> 8	51379	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and (chang\$4 or modify\$4) luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11

S9	0	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and (chang\$4 or modify\$4) same	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:55
		luminance same output\$4				
S10	0	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and (chang\$4 or modify\$4) same luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:55
S11	0	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11

S12	О	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:56
S13	0	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1 and brightness	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:56
S14	12	modify\$3 same video same image\$1 same (compris\$3 or includ \$4) and plural\$4 same sequential same frame\$1 and display \$3 and receiv\$3 same portion same current same frame\$1 same video same image\$1 and modify\$3 same current same frame\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:56
S15	2	"6915019".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 22:59
S16	149	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 23:03
S17	49	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 adj image\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 23:03

S18	1	(LCD or liquid same crystal same display \$3) and overdriv\$4 adj receiv\$4 adj image \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 23:03
S19	10	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1 and increas \$4 same decreas\$4 same luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 23:05
S20	3	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1 and increas \$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/11 23:05
S21	0	(LCD or liquid same crystal same display \$3) and overdriv\$4 adj voltage\$1 adj receiv\$4 adj image\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 07:58
S22	1	(LCD or liquid same crystal same display \$3) and overdriv\$4 adj receiv\$4 adj image \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:00
S23	2	"20050068343" and overdriv\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:02
S24	1	"20050068343" and overdriv\$4 same voltage\$!	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:02
\$25	0	(LCD or liquid same crystal same display \$3) and overdriv\$4 adj voltage\$1 same receiv\$4 same image \$1 and increas\$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:03

S26	0	(LCD or liquid same crystal same display \$3) and overdriv\$4 same voltage\$1 same receiv\$4 same image \$1 and increas\$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:04
<b>S</b> 27	3	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1 and increas \$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:04
\$28	1	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1 and overdriv \$\$ same voltage\$1 and increas\$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:04
<b>S</b> 29	1	(LCD or liquid same crystal same display \$3) and overdriv\$4 same receiv\$4 same image\$1 and overdriv \$\$ adj voltage\$1 and increas\$4 same decreas\$4 same luminance same output\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 08:05
S30	4	"7312820".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:00
S31	0	"7312820".pn. and overdriv\$4 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:02
S32	0	"7312820".pn. and current	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:02

S33	0	"7312820".pn. and overdriv\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:02
S34	0	"7312820".pn. and voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:03
S35	2	"6288695".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:18
S36	3	"5976086".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:19
S37	1	"6288695".pn. and increas\$\$ and decreas \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:23
S38	1	"02523594"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 09:28
S39	6	"2523594"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 10:07
S40	0	"2523594B"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:32
S41	6	"2523594"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:32
S42	36	horikawa-cho and saiwai-ku and kawasaki-shi and kanagawa-ken	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:42

S43	0	horikawa-cho and saiwai-ku and kawasaki-shi and kanagawa-ken and ultrasonic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:45
S44	47405	kabushiki same kaisha same toshiba	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:46
S45	31	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:47
<b>S</b> 46	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and horikawa-cho and saiwai-ku and kawasaki-shi and kanagawa-ken	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:48
S47	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and horikawa-cho	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:48
S48	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and saiwai- ku and kawasaki-shi and kanagawa-ken	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:48
<b>S</b> 49	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and saiwai- ku	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:48
S50	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and kawasaki-shi and kanagawa-ken	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:48

S51	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and kawasaki-shi	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:49
S52	0	kabushiki same kaisha same toshiba and ultrasonic same diagnostic same equipment and kanagawa-ken	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/17 11:49
S53	15	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:24
S54	7	receiv\$3 same image \$1 same modif\$4 same overdriv\$4 same pixel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:24
S55	197174	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and increas\$3 same decreas\$3 same pixel \$1 luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:29
S56	3	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and increas\$3 same decreas\$3 same pixel \$1 same luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:29
S57	3	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and increas\$3 same decreas\$3 and pixel \$1 same luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:30
S58	5	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and (increas\$3 and decreas\$3) and pixel \$1 same luminance	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/09 14:38

S59	5	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and increas\$3 and decreas\$3 and pixel \$1 and luminance	USPAT; FPRS; EPO; JPO; DERWENT;	OR	OFF	2011/01/09 14:39
S60	7	receiv\$3 same image \$1 and modif\$4 same overdriv\$4 same pixel and pixel\$1 and luminance	USPAT; FPRS;	OR	OFF	2011/01/09 14:39

## **EAST Search History (Interference)**

< This search history is empty>

1/ 9/ 2011 5:43:46 PM H:\ East\ Workspaces\ 10676312 09-12-2010.wsp